



**2026
TRUCK BEDS**

TABLE OF CONTENTS



SD



PG. 3

ST



PG. 6

SR



PG. 8

UB



PG. 10

SC



PG. 12

WH



PG. 14

SL



PG. 16

HBI



PG. 18

SIZE GUIDE

* CTA may differ depending on your truck model year. Please verify prior to purchase.

| FORD | | | | |
|-------------------------------|--------|---------|-----|---------|
| 1998-2017 (2018+) | LENGTH | WIDTH | CTA | RUNNERS |
| Dually | 8'6" | 97" | 56" | 38" |
| Cab & Chassis | 9'4" | 94"/97" | 60" | 34" |
| Cab & Chassis | 11'4" | 94"/97" | 84" | 34" |
| Single Wheel Short Wheel Base | 84" | 84" | 40" | 38" |
| Single Wheel Long Wheel Base | 8'6" | 84" | 56" | 38" |

We Recommend: *F-350 width 94", 97", *F-450 width 94", 97" with standard Headache Rack, *F-550 width 97" with standard Headache Rack, *2015 F-650 Requires 34.5" Runners

| GMC/CHEVROLET | | | | |
|-------------------------------|--------|---------|-----|---------|
| 2001-PRESENT | LENGTH | WIDTH | CTA | RUNNERS |
| Dually | 8'6" | 97" | 56" | 42" |
| Cab & Chassis | 9'4" | 94"/97" | 60" | 34" |
| Cab & Chassis | 11'4" | 94"/97" | 84" | 34" |
| Single Wheel Short Wheel Base | 84" | 84" | 42" | 42" |
| Single Wheel Long Wheel Base | 8'6" | 84" | 56" | 42" |

We Recommend: *Prior to 2000 all measurements required

| DODGE | | | | |
|-------------------------------|--------|---------|-----|---------|
| 2003-PRESENT | LENGTH | WIDTH | CTA | RUNNERS |
| Dually | 8'6" | 97" | 58" | 42" |
| Cab & Chassis | 11'4" | 94"/97" | 84" | 34" |
| Cab & Chassis | 9'4" | 94"/97" | 60" | 34" |
| Single Wheel Short Wheel Base | 84" | 84" | 38" | 42" |
| Single Wheel Long Wheel Base | 8'6" | 84" | 58" | 42" |
| Megacab (Single Wheel) | 84" | 84" | 38" | 42" |
| Megacab (Dually) | 84" | 97" | 38" | 42" |

We Recommend: *2002 and earlier require 56" CTA and 38" runners on long bed



SD MODEL

Skirted Smooth Side with Front, Top and Rear Tool Boxes

2026 SD

This is one of our best selling models, and for good reason too, it's perfect for day-to-day tasks. Featuring multiple standard tool boxes, adjustable smooth flare fenders, a rear lockable compartment, 12 Ga steel construction and much more, this bed is built tough.

POPULAR PROFESSIONS



CONSTRUCTION





MUNICIPALITIES/
UTILITIES



MAINTENANCE

- A. Flush Mount Top Lid
- B. Whale Tail Compression Latches
- C. 3 Point Latch On Front Toolbox
- D. Flush Mount Rear Work Lights, 3600 Lumens
- E. Bolt On Hinges
- F. Smoked Lights Throughout
- G. Cargo Lights On The Deck/Inner Cabinet
- H. Sensor Knockouts
- I. Spare Tire Knockout
- J. Standardized B&W Turn Over Ball GN Hitch
- K. Angle Box Pull Out Tray
- L. Notched Head Rack
- M. Rear Locking Compartment



FLUSH MOUNT TOP LID



STANDARD FEATURES

- Structural Steel Frame
- 2.5" 18.5k Rated Receiver
- 4" Runner Channels
- Formed 3 x 3/16" Channel Cross Members
- Notched Head Rack with Cross Bars
- Steel 1/8" Diamond Plate Floor
- Fold-Down Tailgate with Latch
- Fuel Filler & DEF in Same Location
- Skirted Rear Bumper with Anti-Slip Step
- 2 Angled Top Toolboxes with Pull Out Tray
- 2 Horizontal Top Toolboxes with Flush Mount Lid
- 2 Front Toolboxes with Whale Tail Compression Latch w/ 3 Point Locking System
- Rear Locking Compartment
- 2 Rear Toolboxes with Whale Tail Compression Latch
- Adjustable Galvanized Shelves in Front Tool Boxes
- 12Ga Steel Construction with 11Ga Bumper
- Dual LED Flush Mount Rear Work Lights
- Primer & Powder Coated Black
- 3/4" LED Marker Lights
- Mudflap Brackets
- Single LED License Plate Light
- Side & Rear Reflectors
- All Lighting DOT Approved
- Molded Sealed Harness
- 7 Way Receiver Female Plug with Adapter

SD MODEL




Skirted Smooth Side with Front, Top and Rear Tool Boxes

2026 BASE MODELS

| MODEL | LENGTH | WIDTH | CAB TO AXLE | WEIGHT | DECK WIDTH |
|----------------------------|--------|-------|---|--------|------------|
| Single Wheel Short Bed | 84" | 84" | 38"(Dodge/Megacab), 40"(Ford), 42"(Chevy/GMC) | 1450 | 50" |
| Mega Cab Dually | 84" | 90" | 38"(Megacab Dually) | 1735 | 50" |
| Single Wheel Long Bed | 8'6" | 84" | 56"(Chevy/GMC, Ford), 58"(Dodge) | 1705 | 50" |
| Dually (Bed Takeoff) | 8'6" | 90" | 56"(Chevy/GMC, Ford), 58"(Dodge) | 1735 | 50" |
| Cab & Chassis Single Wheel | 9'4" | 84" | 60"(Chevy/GMC,Dodge, Ford) | 1790 | 50" |
| Cab & Chassis Dually | 9'4" | 90" | 60"(Chevy/GMC,Dodge, Ford) | 1820 | 50" |
| Cab & Chassis Dually | 11'4" | 90" | 84"(Chevy/GMC,Dodge, Ford) | 2180 | 50" |

*WEIGHT OF UNITS ARE APPROXIMATES ONLY AND SUBJECT TO CHANGE DEPENDING ON OPTIONS



GOOSENECK HITCH

APPEARANCE PACKAGES

These options are sold in groups. See list below for option description.

| GROUP | INCLUDED OPTIONS |
|-------|-----------------------------------|
| P02 | X50 + F02 |
| P07 | W50 + F02 + W51 + W52 + X50 + X58 |

APPEARANCE OPTION REFERENCE LIST

F02 = STAINLESS STEEL FENDERS
 W50 = CHROME ACCENT LIGHT PACKAGE
 W51 = CHROME LIGHT HOUSING/ DUALY ONLY
 W52 = CHROME LICENSE PLATE HOUSING
 X50 = ALUMINUM DIA PLATE SKIRT COVER
 X58 = ALUMINUM DIA PLATE TOP TOOLBOX COVERS



3 POINT LOCKING SYSTEM

INDIVIDUAL OPTIONS

These options are available in combination & individually

| CODE | DESCRIPTION |
|------|------------------------------------|
| I ## | HEADRACK EXTENSION 35.75" - 41.75" |
| CT# | C-TECH TOOL CABINETS |
| CA1 | CAMERA BRACKET |
| DWT | DIAMOND WHITE |



ANGLE BOX PULL OUT TRAY

Skirted Smooth Side with Front, Top and Rear Tool Boxes



WHALE TAIL COMPRESSION LATCH



CARGO LIGHTS ON THE DECK/INNER CABINET




FLUSH MOUNT REAR WORK LIGHTS, 3600 LUMENS



BOLT-ON HINGES AND REAR LOCKING COMPARTMENT



HEAD RACK NOTCHED FOR TRUCK 3RD BRAKE LIGHT VISIBILITY



SMOKED LIGHTS



SPARE TIRE KNOCK-OUT



SENSOR KNOCK-OUTS

ST MODEL



Skirted Smooth Side with Front/Rear Tool Boxes and Rub Rails




2026 ST

The ST Model is a heavy-hauler. It comes loaded with four standard toolboxes, available bale spikes, rub rails and an optional gooseneck trough. The ST is built to carry whatever you need to wherever you need it.



High Visibility Work Lights



Head Rack Cargo Lights

- A. Notched Head Rack
- B. 1/8" Diamond Plate Floor
- C. Full Smoked LED Lighting
- D. High Visibility Work Lights
- E. Rear Locking Compartment
- F. Rub Rails & Stake Pockets
- G. Front Toolbox
- H. Rear Side Toolbox
- I. 30k Rated 2 5/16" GN Ball
- J. Available Bale Spikes
- K. Skirted Rear Bumper with Anti-Slip Step
- L. 2.5" 18.5k Rated Receiver
- M. Head Rack Cargo Lights



STANDARD FEATURES

- Structural Steel Frame
- 2.5" 18.5k Rated Receiver
- 30k Rated 2 5/16" GN Ball
- 4" Runner Channels
- Formed 3 x 3/16" Channel Cross Members
- Notched Head Rack w/ Cross Bars, Cargo, Tail & Rev. Lights
- Steel 1/8" Diamond Plate Floor
- Built in Gooseneck Well w/ Ball Mounted & Diam Plate Lid
- Angled Fuel Filler Neck & DEF Ready
- Skirted Smooth Plate Rear Bumper with Anti-Slip Step
- Removable Black Smooth Fender Flares
- 12Ga Steel Construction with 11Ga Bumper
- Primer & Powder Coated Black
- 2.5" LED Reflective Marker Lights
- 4 Smoked 6" Oval LED Reverse Lights
- 6 Smoked 6" Oval Red LED ST/TL/TN Lights
- High Visibility LED Utility Lights
- Single LED License Plate Light
- All Lighting DOT Approved
- Molded Sealed Harness with Resistors
- 4/5 & 7 Way Receiver Female Plug with Adapter
- 4 Tool Boxes & Locking Chrome Paddle Latches
- Mudflap Brackets
- 7-Way Plug in Gooseneck Well



ST MODEL

Skirted Smooth Side with Front/Rear Tool Boxes and Rub Rails

2026 BASE MODELS

| MODEL | LENGTH | WIDTH | CAB TO AXLE | WEIGHT | DECK WIDTH |
|----------------------------|--------|----------|---|--------|------------|
| Single Wheel Short Bed | 84" | 84" | 38"(Dodge/Megacab), 40"(Ford), 42"(Chevy/GMC) | 1045 | 80" |
| Mega Cab Dually | 84" | 97" | 38"(Megacab Dually) | 1155 | 93" |
| Single Wheel Long Bed | 8'6" | 84" | 56"(Chevy/GMC, Ford), 58"(Dodge, Ford-Verify) | 1275 | 80" |
| Dually (Bed Takeoff) | 8'6" | 97" | 56"(Chevy/GMC, Ford), 58"(Dodge, Ford-Verify) | 1295 | 90" |
| Cab & Chassis Single Wheel | 9'4" | 84" | 60"(Chevy/GMC, Dodge, Ford) | 1320 | 80" |
| Cab & Chassis Dually | 9'4" | 94", 97" | 60"(Chevy/GMC, Dodge, Ford) | 1465 | 90", 93" |
| Cab & Chassis Dually | 11'4" | 94", 97" | 84"(Chevy/GMC, Dodge, Ford) | 1585 | 90", 93" |

*WEIGHT OF UNITS ARE APPROXIMATES ONLY AND SUBJECT TO CHANGE DEPENDING ON OPTIONS



Photos may include optional features.

APPEARANCE PACKAGES

These options are sold in groups. See list below for option description.

| GROUP | INCLUDED OPTIONS |
|-------|-----------------------------|
| P01 | S52 |
| P02 | X50 + F02 |
| P03 | W50 + F02 + W51 + W52 + X50 |

APPEARANCE OPTION REFERENCE LIST

- F02 = STAINLESS STEEL FENDERS
- W50 = CHROME ACCENT LIGHT PACKAGE
- W51 = CHROME LIGHT HOUSING/ DUALY ONLY
- W52 = CHROME LICENSE PLATE HOUSING
- X50 = ALUMINUM DIA PLATE SKIRT COVER
- S52 = REAR RUB RAIL & STAKE POCKETS

INDIVIDUAL OPTIONS

These options are available in combination & individually

| CODE | DESCRIPTION |
|------|----------------------|
| X01 | 15" GOOSENECK TROUGH |
| U06 | B&W TURNOVER BALL |
| HB1 | BALE SPIKES |
| CA1 | CAMERA BRACKET |
| DWT | DIAMOND WHITE |



SR MODEL



Diamond Plate Side Rails with Stake Pockets and Rub Rail

2026 SR

The Norstar SR model is our flagship truck bed. Durable diamond plate construction, Structural Steel Frame and a 18.5k rated hitch will make this your everyday task-ready truck bed for years to come.



Rub Rail



2.5" 18.5k Rated Receiver

- A. Notched Head Rack
- B. 1/8" Diamond Plate Floor
- C. Full Smoked LED Lighting
- D. High Visibility Work Lights
- E. Rear Lockable Compartment
- F. DEF Ready
- G. Rub Rails & Stake Pockets
- H. 30k Rated 2 5/16" GN Ball
- I. Available Bale Spikes
- J. Diamond Plate Rear Skirt
- K. Skirted Rear Bumper with Anti-Slip Step
- L. Head Rack Cargo Lights



STANDARD FEATURES

- Structural Steel Frame
- 2.5" 18.5k Rated Receiver
- 30k Rated 2 5/16" GN Ball
- 4" Runner Channels (Adjustable on 84", 8'6" Only)
- Formed 3 x 3/16" Channel Cross Members
- Notched Head Rack with Cross Bars, Cargo, Tail & Rev. Lights
- Steel 1/8" Diamond Plate Floor
- Built-In Gooseneck Well w/ Ball Mounted & Diamond Plate Lid
- Angled Fuel Filler Neck and DEF Ready
- 11 Ga Skirted Rear Bumper
- 1/8" Diamond Plate Construction
- Primer & Powder Coated Black
- 2.5" LED Reflective Marker Lights
- Smoked 6" Oval LED Reverse Lights
- Smoked 6" Oval Red LED ST/TL/TN Lights
- High Visibility LED Utility Lights
- Single LED License Plate Light
- All Lighting DOT Approved
- Molded Sealed Harness with Resistors
- 4/5 & 7 Way Receiver Female Plug with Adapter
- Adjustable Mudflap Brackets
- 7 Way Plug in Gooseneck Well



SR MODEL

Diamond Plate Side Rails with Stake Pockets and Rub Rail

2026 BASE MODELS

| MODEL | LENGTH | WIDTH | CAB TO AXLE | WEIGHT | DECK WIDTH |
|----------------------------|--------|----------|----------------------------|--------|------------|
| Single Wheel Short Bed | 84" | 84" | 40"(Ford) | 985 | 80" |
| Mega Cab Dually | 84" | 97" | 40" On SR Only | 955 | 93" |
| Single Wheel Long Bed | 8'6" | 84" | 56"(Chevy/GMC, Ford) | 1070 | 80" |
| Dually (Bed Takeoff) | 8'6" | 97" | 56"(Chevy/GMC, Ford) | 1035 | 90", 93" |
| Cab & Chassis Single Wheel | 9'4" | 84" | 60"(Chevy/GMC,Dodge, Ford) | 1160 | 80" |
| Cab & Chassis Dually | 9'4" | 94", 97" | 60"(Chevy/GMC,Dodge, Ford) | 1180 | 90", 93" |
| Cab & Chassis Dually | 11'4" | 94", 97" | 84"(Chevy/GMC,Dodge, Ford) | 1250 | 90", 93" |

*WEIGHT OF UNITS ARE APPROXIMATES ONLY AND SUBJECT TO CHANGE DEPENDING ON OPTIONS



APPEARANCE PACKAGES

These options are sold in groups. See list below for option description.

| GROUP | INCLUDED OPTIONS |
|-------|--------------------------|
| P01 | S52 - Rear Stake Pockets |

INDIVIDUAL OPTIONS

These options are available in combination & individually

| CODE | DESCRIPTION |
|------|-------------------|
| X01 | 15" GN TROUGH |
| U06 | B&W TURNOVER BALL |
| HB1 | BALE SPIKES |
| CA1 | CAMERA BRACKET |
| DWT | DIAMOND WHITE |



Photos may include optional features.

UB MODEL

Square Service Body Truck Bed



2026 UB

The UB Service Bed brings a new twist on the service truck bed. With a square body and removable rear bumper you'll find everything you need to make this bed your ultimate service body bed.

POPULAR PROFESSIONS



CONSTRUCTION



MUNICIPALITIES/
UTILITIES



OIL/MINING/GAS

- A. Steel 1/8" Diamond Plate Floor
- B. Removable Diamond Plate Rear Bumper
- C. Full LED Lighting
- D. 2 Horizontal Toolboxes
- E. 4 Vertical Toolboxes
- F. Compression Latches with 3-Point Locking
- G. Stamped Fenders
- H. Structural Steel Frame
- I. Angled Fuel Filler Neck & DEF Ready
- J. Rear Step
- K. Factory Hitch Ready
- L. Fold Down Rear Gate
- M. Master Lock System



STANDARD FEATURES

- Structural Steel Frame
- Galvanneal Steel Construction
- 1/8" Diamond Plate Steel Floor
- Angled Fuel Filler Neck & DEF Ready
- Bolt-On Bed Mounted Rear Bumper w/ Integrated Step
- 6 Tool Boxes with Adjustable Shelves
- New Master Locking System
- Bolt-On Fold Down Tail Gate
- Primer & Powder Coated White
- Multi Function Rear Facing Lights
- LED License Plate Light
- All Lighting DOT Approved
- Mudflap Brackets
- Stamped Fenders




UB MODEL

Square Service Body Truck Bed

2026 BASE MODELS

| MODEL | LENGTH | WIDTH | CAB TO AXLE | WEIGHT | DECK WIDTH |
|--|--------|-------|--------------------------|--------|------------|
| Single Wheel Short Bed - UB084784001 SRW | 7' | 78" | 40" (Ford, Chevy, Dodge) | 1386 | 50" |
| Single Wheel Long Bed - UB102785601 SRW | 8' 6" | 78" | 57" (Ford, Chevy, Dodge) | 1519 | 50" |
| Dually (Bed Take-Off) - UB102905601 DRW | 8' 6" | 90" | 57" (Ford, Chevy, Dodge) | 1667 | 50" |
| Cab Chassis Dually - UB112906001 DRW | 9' 4" | 90" | 60" (Ford, Chevy, Dodge) | 1712 | 50" |
| Cab Chassis Dually - UB136908401 DRW | 11' 4" | 90" | 84" (Ford, Chevy, Dodge) | 2188 | 50" |

*WEIGHT OF UNITS ARE APPROXIMATES ONLY AND SUBJECT TO CHANGE DEPENDING ON OPTIONS



| BED SIZES | BED LENGTH | BED WIDTH | CARGO AREA | COMPARTMENT A (W" x H") | COMPARTMENT A2 (11' ONLY) (W" x H") | HORIZONTAL COMPARTMENT | COMPARTMENT B (W" x H") | TOP TOOLBOX DEPTH | BOTTOM TOOLBOX DEPTH |
|-----------------|------------|-----------|---------------|-------------------------|-------------------------------------|------------------------|-------------------------|-------------------|----------------------|
| 7' SINGLE WHEEL | TBD | 80.46" | TBD x 49" | TBD | N/A | TBD | TBD | 13.87" | 10.22" |
| 8' SINGLE WHEEL | 98" | 80.46" | 98" x 49" | 31.82" x 40" | N/A | 42" x 18.76" | 23.85" x 40" | 13.87" | 10.22" |
| 8' DUAL WHEEL | 98" | 92.46" | 98" x 49" | 31.82" x 40" | N/A | 42" x 18.76" | 23.85" x 40" | 19.87" | 16.22" |
| 9' SINGLE WHEEL | 108" | 80.46" | 108" x 49" | 36.84" x 40" | N/A | 42" x 18.76" | 28.84" x 40" | 13.87" | 10.22" |
| 9' DUAL WHEEL | 108" | 92.46" | 108" x 49" | 36.84" x 40" | N/A | 42" x 18.76" | 28.84" x 40" | 19.87" | 16.22" |
| 11' DUAL WHEEL | 131.88" | 92.46" | 131.88" x 49" | 31.89" x 40" | 28.86" x 40" | 42" x 18.76" | 28.84" x 40" | 19.87" | 16.22" |



INDIVIDUAL OPTIONS

These options are available in combination & individually

| CODE | DESCRIPTION |
|------|--------------------------------|
| CT# | C-TECH AVAILABLE ON DUAL WHEEL |
| CA1 | CAMERA BRACKET |
| BLK | BLACK |



Photos may include optional features.


SC MODEL



Skirted Smooth Side with Front, Top and Rear Tool Boxes

2026 SC

The Norstar SC Service bed is a great addition to any job site. Our precision built Service Body offers multiple standard tool boxes, polished fenders, 12Ga steel construction and more for your daily tasks.



- A. Steel 1/8" Diamond Plate Floor
- B. 12Ga Steel Construction
- C. DOT Approved Lighting
- D. Utility Step Bumper
- E. Master Lock System
- F. Side Top Toolbox
- G. Front Tool Cabinet
- H. Rear Side Toolbox
- I. Tail Gate
- J. 16" Lockable Compartment
- K. 2.5" 18.5k Rated Receiver



STANDARD FEATURES

- Structural Steel Frame
- 2.5" 18.5k Rated Receiver
- 4" Runner Channels
- Formed 3 x 3/16" Channel Cross Members
- Steel 1/8" Diamond Plate Floor
- Angled Fuel Filler Neck & DEF Ready
- Skirted Rear Bumper with Anti-Slip Step
- 3 Tool Boxes & Locking Chrome Paddle Latches on Each Side
- Adjustable Galvanized Shelves
- Rear Lockable Compartment 27" x 38" - 78"
- 12 Ga Steel Construction with 11Ga Bumper
- Rear Master Lock System
- 3/4" LED Marker Lights
- Primer & Powder Coated White
- Removable White Smooth Fender Flares
- 2 - 6" Oval LED Reverse Lights
- 4 - 6" Oval Red LED ST/TL/TN Lights
- Single LED License Plate Light
- Side & Rear Reflectors
- All Lighting DOT Approved
- Molded Sealed Harness
- 4/5 & 7 Way Receiver Female Plug with Adapter
- Mudflap Brackets
- [GN Well NOT Available - B&W Turnover IS Available]



SC MODEL

Skirted Smooth Side with Front, Top and Rear Tool Boxes

2026 BASE MODELS

| MODEL | LENGTH | WIDTH | CAB TO AXLE | WEIGHT | DECK WIDTH |
|----------------------------|--------|-------|---|--------|------------|
| Single Wheel Short Bed | 84" | 84" | 38"(Dodge/Megacab), 40"(Ford), 42"(Chevy/GMC) | 1735 | 50" |
| Mega Cab Dually | 84" | 90" | 38"(Megacab Dually) | 1735 | 50" |
| Single Wheel Long Bed | 8'6" | 84" | 56"(Chevy/GMC, Ford), 58"(Dodge, Ford-Verify) | 2100 | 50" |
| Dually (Bed Takeoff) | 8'6" | 90" | 56"(Chevy/GMC, Ford), 58"(Dodge, Ford-Verify) | 1740 | 50" |
| Cab & Chassis Single Wheel | 9'4" | 84" | 60"(Chevy/GMC, Dodge, Ford) | 2300 | 50" |
| Cab & Chassis Dually | 9'4" | 90" | 60"(Chevy/GMC, Dodge, Ford) | 1840 | 50" |
| Cab & Chassis Dually | 11'4" | 90" | 84"(Chevy/GMC, Dodge, Ford) | 2080 | 50" |

*WEIGHT OF UNITS ARE APPROXIMATES ONLY AND SUBJECT TO CHANGE DEPENDING ON OPTIONS



APPEARANCE PACKAGES

These options are sold in groups. See list below for option description.

| GROUP | INCLUDED OPTIONS |
|-------|-----------------------------------|
| P02 | X50 + F02 |
| P03 | W50 + F02 + W51 + W52 + X50 |
| P04 | F89 (Top Boxes & Lids) |
| P05 | W50 + F02 + W51 + W52 + X50 + F89 |
| P06 | X50 + F02 + F89 |

APPEARANCE OPTION REFERENCE LIST

F02 = STAINLESS STEEL FENDERS
 F89 = TOP TOOLBOXES AND LIDS
 W50 = CHROME ACCENT LIGHT PACKAGE
 W51 = CHROME LIGHT HOUSING/ DUALY ONLY
 W52 = CHROME LICENSE PLATE HOUSING
 X50 = ALUMINUM DIA PLATE SKIRT COVER

INDIVIDUAL OPTIONS

These options are available in combination & individually

| CODE | DESCRIPTION |
|------|----------------------|
| CT# | C-TECH TOOL CABINETS |
| CA1 | CAMERA BRACKET |
| BLK | BLACK |



Photos may include optional features.

WH MODEL

Skirted Smooth Side with Four Tool Boxes



2026 WH

The WH Model is our top of the line bed. This Western Deluxe Truck Bed comes ready to impress with its diamond plate floor Structural Steel Frame and head turning standard aluminum trim package.



- A. Steel Tube Head Rack
- B. 1/8" Diamond Plate Floor
- C. Full LED Lighting
- D. Gooseneck Trough
- E. Aluminum Fuel Filler
- F. Front Side Toolbox
- G. Rear Side Toolbox
- H. Brushed Stainless Steel
- I. 30k Rated 2 5/16" GN Ball
- J. 4 Recessed D-Rings
- K. Dove Tail
- L. Chrome Accented Lighting
- M. Aluminum Cast Plate Housing
- N. 2.5" 18.5k Rated Receiver



STANDARD FEATURES

- Structural Steel Frame
- 2.5" 18.5k Rated Receiver
- 30k Rated 2 5/16" GN Ball
- Formed 3 x 3/16" Channel Cross Members
- Steel Tube Head Rack with Cross Bars, Tail & Rev. Lights
- Built-in Gooseneck Well w/ Ball Mounted & Diam Plate Lid
- Skirted Rear Bumper w/ Anti-Slip Step
- 2 Aluminum Cast Angled Fuel Fillers
- Aluminum Cast Tail Light Housing
- Aluminum Cast License Plate Housing
- Aluminum Trim Package
- 11Ga Steel Construction with 10Ga Bumper
- 4 Side Swing Tool Box Doors w/ Chrome Hinges (Except Megacab)
- 7 Way Plug in Gooseneck Trough
- 4 Recessed D-Rings
- 18" Gooseneck Trough
- Dove Tail
- Primer & Powder Coated Black
- Chrome Accent Lighting
- 3/4" LED Marker Lights
- 4 Clear 6" Oval LED Rev. Lights
- 6 Red 6" Oval LED ST/TL/TN Lights
- Single LED License Plate Light
- All Lighting DOT Approved
- Molded Sealed Harness with resistors
- 4/5 & 7 Way Receiver Female Plug with Adapter
- Mudflap Brackets
- Steel 1/8" Diamond Plate Floor



WH MODEL

Skirted Smooth Side with Four Tool Boxes

2026 BASE MODELS

| MODEL | LENGTH | WIDTH | CAB TO AXLE | WEIGHT | DECK WIDTH |
|----------------------------|--------|----------|---|--------|------------|
| Single Wheel Short Bed | 84" | 78" | 38"(Dodge/Megacab), 40"(Ford), 42"(Chevy/GMC) | 915 | 74" |
| Mega Cab Dually | 84" | 88" | 38"(Megacab Dually) | 965 | 88" |
| Single Wheel Long Bed | 8'6" | 78" | 56"(Chevy/GMC, Ford), 58"(Dodge, Ford-Verify) | 1095 | 74" |
| Dually (Bed Takeoff) | 8'6" | 84", 88" | 56"(Chevy/GMC, Ford), 58"(Dodge, Ford-Verify) | 1290 | 80", 84" |
| Cab & Chassis Single Wheel | 9'4" | 78" | 60"(Chevy/GMC,Dodge, Ford) | 1235 | 74" |
| Cab & Chassis Dually | 9'4" | 88" | 60"(Chevy/GMC,Dodge, Ford) | 1355 | 80", 84" |
| Cab & Chassis Dually | 11'4" | 88" | 84"(Chevy/GMC,Dodge, Ford) | 1515 | 80", 84" |

*WEIGHT OF UNITS ARE APPROXIMATES ONLY AND SUBJECT TO CHANGE DEPENDING ON OPTIONS



INDIVIDUAL OPTIONS

These options are available in combination & individually

| CODE | DESCRIPTION |
|------|---------------------------------------|
| U06 | B&W TURNOVER BALL (Eliminates trough) |
| DWT | DIAMOND WHITE |
| C05 | ALL BLACKOUT PACKAGE |



Photos may include optional features.


SL MODEL



Skirted Smooth Side with Front/Rear Tool Boxes and Rub Rails

2026 SL

The Norstar SL Journeyman Bed is a marriage between our two most popular beds, the SD and ST. Our Journeyman Bed offers the best of both worlds with multiple tool boxes, a full-width deck, rub rails and stake pockets, and many more features for whatever the job throws at you.



- A. Steel Tube Head Rack
- B. 1/8" Diamond Plate Floor
- C. Full LED Lighting
- D. 4/5 & 7-Way Plug
- E. Removable Side Rails (Optional)
- F. Gooseneck Trough (Optional)
- G. Front Side Tool Box
- H. Rub Rails & Stake Pockets
- I. Removable Fenders
- J. Bottom Side Tool Box
- K. 30k Rated 2 5/16" GN Ball
- L. 2.5" 18.5k Rated Receiver



STANDARD FEATURES

- Structural Steel Frame
- 4" Channel Runners
- 2.5" 18.5k Rated Receiver
- 30k Rated 2 5/16" GN Ball
- Formed 3 x 3/16" Channel Cross Members
- Steel Tube Head Rack with Cross Bars, Tail & Rev. Lights
- Steel 1/8" Diamond Plate Floor
- Built in Gooseneck Well with Ball Mounted & Diam Plate Lid
- Angled Fuel Filler Neck & DEF Ready
- 4 Tool Boxes & Locking Chrome Paddle Latches (6 on 11'4")
- Skirted Rear Bumper with Anti-Slip Step
- 12Ga Steel Construction with 11Ga Bumper
- Adjustable Black Smooth Fender Flares
- 3/4" LED Marker Lights
- 4 Clear 6" Oval LED Reverse Lights
- 6 Red 6" Oval LED ST/TL/TN Lights
- Single LED License Plate Light
- Side & Rear Reflectors
- Primer & Powder Coated Black
- All Lighting DOT Approved
- Molded Sealed Harness with Resistors
- 7 Way Receiver Female Plug with Adapter
- 7 Way Plug in Gooseneck Well
- Adjustable Galvanized Shelf in Front Tool Boxes
- Mudflap Brackets



SL MODEL

Skirted Smooth Side with Front/Rear Tool Boxes and Rub Rails

2026 BASE MODELS

| MODEL | LENGTH | WIDTH | CAB TO AXLE | WEIGHT | DECK WIDTH |
|----------------------------|--------|-------|---|--------|------------|
| Single Wheel Short Bed | 84" | 84" | 38"(Dodge/Megacab), 40"(Ford), 42"(Chevy/GMC) | 1450 | 80" |
| Mega Cab Dually | 84" | 90" | 38"(Megacab Dually) | 1735 | 93" |
| Single Wheel Long Bed | 8'6" | 84" | 56"(Chevy/GMC, Ford), 58"(Dodge, Ford-Verify) | 1705 | 80" |
| Dually (Bed Takeoff) | 8'6" | 90" | 56"(Chevy/GMC, Ford), 58"(Dodge, Ford-Verify) | 1735 | 90", 93" |
| Cab & Chassis Single Wheel | 9'4" | 84" | 60"(Chevy/GMC,Dodge, Ford) | 1790 | 80" |
| Cab & Chassis Dually | 9'4" | 90" | 60"(Chevy/GMC,Dodge, Ford) | 1820 | 90", 93" |
| Cab & Chassis Dually | 11'4" | 90" | 84"(Chevy/GMC,Dodge, Ford) | 2180 | 90", 93" |

*WEIGHT OF UNITS ARE APPROXIMATES ONLY AND SUBJECT TO CHANGE DEPENDING ON OPTIONS



APPEARANCE PACKAGES

These options are sold in groups. See list below for option description.

| GROUP | INCLUDED OPTIONS |
|-------|-----------------------------|
| P01 | S52 |
| P02 | X50 + F02 |
| P03 | W50 + F02 + W51 + W52 + X50 |

APPEARANCE OPTION REFERENCE LIST

F02 = STAINLESS STEEL FENDERS
 W50 = CHROME ACCENT LIGHT PACKAGE
 W51 = CHROME LIGHT HOUSING/ DUALY ONLY
 W52 = CHROME LICENSE PLATE HOUSING
 X50 = ALUMINUM DIA PLATE SKIRT COVER
 S52 = REAR RUB RAIL & STAKE POCKETS

INDIVIDUAL OPTIONS

These options are available in combination & individually

| CODE | DESCRIPTION |
|------|----------------------|
| CT# | C-TECH TOOL CABINETS |
| X01 | 15" GN TROUGH |
| U06 | B&W TURNOVER BALL |
| HB1 | BALE SPIKES |
| CA1 | CAMERA BRACKET |
| DWT | DIAMOND WHITE |

Photos may include optional features.

HB1 MODEL

Hay Spear Option



2026 HB1

Maximize productivity with a truck bed designed specifically for hauling and handling hay. Built tough for the demands of ranch and farm life, our hay spear truck bed combines durability, efficiency, and convenience to tackle even the heaviest loads. Spears are removable and can be stowed away under the deck when not in use.



Toolbox Size - 18" x 16" x 12"

AVAILABLE ON MODELS: SL, SR, & ST

- A. Steel Tube Head Rack
- B. 1/8" Diamond Plate Floor
- C. Full LED Lighting
- D. Rub Rails & Stake Pockets
- E. 30k Rated 2 5/16" GN Ball
- F. Hay Spears
- G. Diamond Plate Rear Skirt
- H. Skirted Rear Bumper with Anti-Slip Step



STANDARD FEATURES

- Structural Steel Frame
- 2.5" 18.5k Rated Receiver
- 30k Rated 2 5/16" GN Ball
- 4" Runner Channels (Adjustable on 84", 8'6" Only)
- Formed 3 x 3/16" Channel Cross Members
- Steel Tube Head Rack with Cross Bars, Tail & Reverse Lights
- Steel 1/8" Diamond Plate Floor
- Built-In Gooseneck Well w/ Ball Mounted & Diamond Plate Lid
- Angled Fuel Filler Neck and DEF Ready
- 11 Ga Skirted Rear Bumper
- 1/8" Diamond Plate Construction
- Primer & Powder Coated Black
- 2.5" LED Reflective Marker Lights
- 4 Clear 6" Oval LED Reverse Lights
- 6 Red 6" Oval LED ST/TL/TN Lights
- Single LED License Plate Light
- All Lighting DOT Approved
- Molded Sealed Harness with Resistors
- 4/5 & 7 Way Receiver Female Plug with Adapter
- Adjustable Mudflap Brackets
- 7 Way Plug in Gooseneck Well
- 4 Button Wired Remote Standard (Wireless Optional)



ABOUT US

Thank you for choosing Norstar as your source for truck beds. It is our pleasure to serve your business in providing the highest quality truck beds and service bodies on the market. Your satisfaction is our number one goal and we want to ensure our business relationship is always rewarding and prosperous. Please feel free to contact us with any questions, concerns, or any suggestions that can help improve our service to you.

Norstar was founded in 2012 with a seasoned and experienced team that raised the first 20,000 square foot facility by their own hands from the ground up. Within the first few years, Norstar became a major player in the national truck bed market.

- In the first two years, Norstar facilities expanded to almost five times the size of the original shop space.
- In 2018, Norstar saw another addition in the new stacking bay, bringing the total to 360,000 square feet.
- By 2019, Norstar encompassed 450,000 square feet.
- Currently, with an additional manufacturing plant in Mexico, Norstar has a combined square footage of over 1.2 million between both plants!

FOLLOW THE STAR!



Photos may include optional features.



**FOLLOW
THE
STAR**

V.01.26
5500 FM 38N, BROOKSTON, TX 75421
NORSTARCOMPANY.COM
903-784-8900